

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7) and session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L2	0	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7) and session and (generat\$3 or initial\$4 establish\$5) and (socket adj port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L3	1	("7181017").PN.	USPAT	OR	OFF	2008/09/08 21:19
L4	0	("20050192099").PN.	USPAT	OR	OFF	2008/09/08 21:19
L5	1	("20050192099").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/08 21:19
L6	0	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7)and session same password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L7	0	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7)and session and password and (shocket or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L8	89	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L9	2	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)near5 (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L10	20	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L11	2	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7) and session and password and (shocket or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L12	1	@ad< "20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) same (id or identif\$7) and session and password and (shocket or port) and channel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L13	0	("20050192099 and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) same (id or identif\$7)").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/08 21:19
L14	0	@ad< "20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) same (id or identif\$7) and "20050192099"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L15	0	@ad< "20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) and (id or identif\$7) and "20050192099"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L16	0	"20050192099" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) and (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L17	0	("dignostic\$4 same sessions same help").PN.	USPAT	OR	OFF	2008/09/08 21:19
L18	0	("dignostic\$4 same sessions same help").PN.	USPAT	OR	OFF	2008/09/08 21:19
L19	0	("dignostic\$4 same sessions same help").PN.	USPAT	OR	OFF	2008/09/08 21:19
L20	0	dignostic\$4 same session same help	USPAT	OR	OFF	2008/09/08 21:19
L21	107	diagnostic\$4 same session same help	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L22	81	diagnostic\$4 same session same help and remot\$4	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L23	10	diagnostic\$4 same session same help and remot\$4 and 709/2\$4.ccls.	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L24	10	diagnostic\$4 same session same help and remot\$4 and 709/2\$\$.ccls.	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L25	43	diagnostic\$4 same session same help and remot\$4 and @ad< "20030404"	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L26	22	diagnostic\$4 same session same help and remot\$4 and @ad< "20030404" and server and network	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L27	4	diagnostic\$4 same session same help and remot\$4 and @ad< "20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L28	0	diagnostic\$4 same collaborat\$4 same session same help and remot\$4 and @ad< "20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19

L29	10	diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and @ad<"20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L30	1	("6901437").PN.	USPAT	OR	OFF	2008/09/08 21:19
L31	0	@ad<"20020416" and ((plurality or different or mulit\$3) near3 request\$4) same ((diagnos\$4) near3 session) same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L32	0	@ad<"20020416" and ((plurality or different or mulit\$3) near3 request\$4) same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3) same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L33	0	@ad<"20020416" and ((plurality or different or mulit\$3) same request\$4) same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3) same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L34	2	@ad<"20020416" and ((plurality or different or mulit\$3) same request\$4) same (diagnos\$4) same session and (verif\$4 or validat\$3 or authenticat\$3) same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L35	11	@ad<"20020416" and request\$4 same (diagnos\$4) near3 session and (verif\$4 or validat\$3 or authenticat\$3)same (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L36	11	@ad<"20020416" and request\$4 same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3)same (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L37	167018	@ad<"20020416" and request\$4 same ((diagnos\$4) near3 session) and (technical adj support) (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L38	0	@ad<"20020416" and request\$4 same ((diagnos\$4) near3 session) and (technical adj support) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L39	8	@ad<"20020416" and request\$4 and ((diagnos\$4) near3 session) and (technical adj support) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L40	0	@ad<"20020416" and request\$4 same (technical adj support)same ((diagnos\$4) near3 session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L41	0	@ad< "20020416" and request\$4 and (technical adj support)same ((diagnos\$4) near3 session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L42	1	@ad< "20020416" and request\$4 same (technical adj support)same ((diagnos\$4) same session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L43	10	@ad< "20020416" and request\$4 same (technical adj support)same (diagnos\$4) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L44	0	@ad< "20020416" and ((multi\$4 or plurality) adj3 request\$4) same (technical adj support)same diagnos\$4 and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L45	1	("7181017").PN.	USPAT	OR	OFF	2008/09/08 21:19
L46	0	request\$4 same (diagnos\$4 near3 collaborat\$4) same (technical adj support)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L47	0	request\$4 same (diagnos\$4 near3 collaborat\$4) and (technical adj support)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L48	515613	request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) adn (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L49	2	request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L50	0	@ad< "20020416" and request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L51	1	@ad< "20020416" and request\$4 same (diagnos\$4 near3 collaborat\$4) and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L52	1	@ad< "20020416" and request\$4 same (diagnos\$4 near5 collaborat\$4) and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L53	3	@ad< "20020416" and request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L54	32	"BROERMAN-KEITH-ROBERT.in.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19

L55	32	"SHU-LINMEI.in.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L56	32	"WANG-LIANGZHONG.and" request\$4 same diagnos\$4 same collaborat\$4 and (id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L57	32	"THOMSON-LI CENSING-S.A.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/09/08 21:19
L58	1	("6229894").PN.	USPAT	OR	OFF	2008/09/08 21:19
L59	1	("6529740").PN.	USPAT	OR	OFF	2008/09/08 21:19
L60	1	("6442433").PN.	USPAT	OR	OFF	2008/09/08 21:19
L61	1	("6181716").PN.	USPAT	OR	OFF	2008/09/08 21:19
L62	1	("6233236").PN.	USPAT	OR	OFF	2008/09/08 21:19
L63	57	request\$4 same diagnostic\$4 same fail same id or identif\$4 same password same socket same port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L64	38	request\$4 same diagnostic\$4 same fail same id or identif\$4 same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L65	0	request\$4 same diagnostic\$4 same fail same (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L66	0	(subsequent near request\$4) same fail same (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L67	1	(subsequent near request\$4) same fail and (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L68	1	(subsequent near request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L69	0	@ad<"20020416" and (subsequent near request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L70	0	@ad<"20020416" and (subsequent near2 request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L71	0	@ad<"20020416" and (subsequent near3 request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L72	1	@ad<"20020416" and (subsequent near3 request\$4) same fail and (id or identif\$4) and password and assigne\$4 same socket and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19

L73	1	@ad<"20020416" and (subsequent near3 request\$4) same fail and assigne \$4 same socket and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L74	1	@ad<"20020416" and (subsequent near request\$4) same fail and assigne \$4 same socket and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L75	1	@ad<"20020416" and (subsequent near request\$4) same fail and assign \$4 same socket and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L76	72	@ad<"20020416" and (subsequent near request\$4) same fail	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L77	0	@ad<"20020416" and (subsequent near request\$4) same fail and assign \$4 same sockt	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L78	1	@ad<"20020416" and (subsequent near request\$4) same fail and assign \$4 same socket	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L79	5	@ad<"20020416" and (subsequent near request\$4) same fail and socket and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L80	190	@ad<"20020416" and request\$4 same fail and (subsequent near request\$4) and socket and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L81	1	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L82	0	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port and id and password	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L83	0	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port and id	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L84	0	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port and identify	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L85	0	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port and pass	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L86	0	@ad<"20020416" and reject\$4 same (subsequent near request\$4) and (assign\$4 near3 socket)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L87	108	@ad<"20020416" and reject\$4 same (subsequent near request\$4)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L88	40	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L89	0	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4) same socket same unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L90	40	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4) andsocket same unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19

L91	0	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4) and socket same unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L92	156	@ad<"20020416" and socket same unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L93	13	@ad<"20020416" and socket near unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L94	22	@ad<"20020416" and socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L95	0	@ad<"20020416" and request\$4 near3 reject\$4 same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L96	0	@ad<"20020416" and request\$4 near3 (reject\$4 or den\$4 or stop\$4) same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L97	0	@ad<"20020416" and request\$4 same (reject\$4 or den\$4 or stop\$4) same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L98	0	@ad<"20020416" and request\$4 same (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L99	0	@ad<"20020416" and (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L100	0	@ad<"20020416" and (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L101	9	@ad<"20020416" and (reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L102	1	@ad<"20020416" and request\$4 near4 (reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L103	0	@ad<"20020416" and request\$4 near4 (reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable) and password	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L104	0	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4) and socket same assign\$4 same tcp/ip same port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L105	0	@ad<"20020416" and reject\$4 same (subsequent near request\$4)and assign\$4 near3 socket same tcp/ip same port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L106	0	@ad<"20020416" and reject\$4 same (subsequent near request\$4)and assign\$4 near3 socket same tcp/ip and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L107	0	@ad<"20020416" and reject\$4 same (subsequent near request\$4)and assign\$4 near3 socket and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L108	147	@ad<"20020416" and assign\$4 near3 socket and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L109	0	@ad<"20020416" and (assign\$4 near socket) same connect\$4 near communication and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19

L110	9	@ad< "20020416" and (assign\$4 near socket) same tcp/ip and port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L111	94	@ad< "20020416" and (socket near3 includ\$4 or compris\$4 or contain\$4) near3 tcp/ip same port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L112	8	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L113	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port and telnet near request\$4	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L114	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port and (telnet near request\$4)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L115	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and (telnet near request\$4)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L116	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and (telnet near3 request\$4)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L117	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and (telnet near5 request\$4)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L118	16	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L119	34480	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L120	1	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L121	16	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L122	8	@ad< "20020416" and (socket near (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L123	41	@ad< "20020416" and (socket with (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L124	19	@ad< "20020416" and (socket near5 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L125	61	@ad< "20020416" and socket same tcp/ip same port and modem and telnet	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L126	0	@ad< "20020416" and socket same tcp/ip same port and modem and (telnet adj request\$4)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19

L127	61	@ad< "20020416" and socket same tcp/ip same port and modem and telnet	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L128	9	@ad< "20020416" and socket same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L129	8	@ad< "20020416" and socket same (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L130	0	@ad< "20020416" and socket near3 (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L131	0	@ad< "20020416" and socket near5 (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L132	27	@ad< "20020416" and socket same (internet protocol or ip) same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L133	0	@ad< "20020416" and save\$4 same socket same (internet protocol or ip) same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L134	15	@ad< "20020416" and socket same (internet protocol or ip) same port and modem and telnet same session and save	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L135	27	@ad< "20020416" and socket same (internet protocol or ip) same port and modem and telnet same session and (sav\$4 or stor\$4)	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L136	8	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094").PN.	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L137	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094").PN. and message	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L138	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094").PN. and message\$1	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L139	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094").PN. and message\$1	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L140	26	@ad< "20020416" and (maximum or limit\$)same connection same server and (link\$2 or channel\$2 or path\$2) same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L141	3660923	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2) same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L142	4	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2) same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L143	59	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2) same (fail\$4 or recover\$4) same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L144	31	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2) same (fail\$4 or recover\$4) same request\$4 and 709/2\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L145	13	@ad<"20020416" and maximum near3 connection same server and (link\$2 or channel\$2 or path\$2) same (fail\$4 or recover\$4) same request\$4 and 709/2\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L146	1319	@ad<"20020416" and (link\$2 or channel\$2 or path\$2) same (fail\$4 or recover\$4) same request\$4 and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L147	349	@ad<"20020416" and (link\$2 or channel\$2 or path\$2) near3 (fail\$4 or recover\$4) same request\$4 and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L148	23	@ad<"20020416" and (link\$2 or channel\$2 or path\$2) near3 (fail\$4 or recover\$4) same subsequent same (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L149	5	@ad<"20020416" and (link\$2 or channel\$2 or path\$2) near3 (fail\$4 or recover\$4) same subsequent near3 (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L150	6	@ad<"20020416" and (link\$2 or channel\$2 or path\$2) near4 (fail\$4 or recover\$4) same subsequent near3 (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L151	178	@ad<"20020416" and (link\$2 or channel\$2 or path\$2) near4 (fail\$4 or recover\$4) and subsequent near3 (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L152	115	@ad<"20020416" and (link\$2 or channel\$2 or path\$2)near4 (fail\$4 or recover\$4) and subsequent near (action or request\$4) and 709/2\$\$ ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L153	68	@ad<"20020416" and (link\$2 or channel\$2 or path\$2)near (fail\$4 or recover\$4) and subsequent near (action or request\$4) and 709/2\$\$ ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L154	13	@ad<"20020416" and (link\$2 or channel\$2 or path\$2)near recover\$4 and subsequent near (action or request\$4) and 709/2\$\$ ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L155	1	("20030074403").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/08 21:19
L156	451	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L157	175	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L158	60	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L159	3	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 same (subsequent near3 (action or request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L160	38	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 and (subsequent near3 (action or request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L161	1	@ad<"20020416" and redirect same request same (available adj (socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L162	199	@ad<"20020416" and redirect near3 request same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L163	33	@ad<"20020416" and redirect near3 request near4 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L164	1172	@ad< "20020416" and subsequent near3 request same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L165	236	@ad< "20020416" and (subsequent near3 request) near4 (socket or link \$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L166	94	@ad< "20020416" and (subsequent near request) near4 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L167	9	@ad< "20020416" and (subsequent near request) near (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L168	10	@ad< "20020416" and (subsequent near request\$4) near (socket or link \$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L169	593	@ad< "20020416" and (subsequent near request\$4) same (socket or link \$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L170	74	@ad< "20020416" and (subsequent near request\$4) near3 (socket or link \$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L171	0	@ad< "20020416" and redirect same (subsequent near request\$4) near3 (socket or link\$2 or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L172	6	@ad< "20020416" and redirect same (subsequent near request\$4) same (socket or link\$2 or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L173	1	@ad< "20020416" and (fail\$4 adj request\$4) same (subsequent near request\$4) same(socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L174	7	@ad< "20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same(socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L175	7	@ad<"20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L176	7	@ad<"20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L177	1090	@ad<"20020416" and (subsequent adj3 request\$4) same (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L178	56	@ad<"20020416" and (subsequent adj3 request\$4)near (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L179	6	@ad<"20020416" and (subsequent adj request\$4)near (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L180	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)near (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L181	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)near5 (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L182	7	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L183	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L184	25	@ad<"20020416" and (subsequent adj request\$4)same ("same" adj (frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L185	25	@ad<"20020416" and ((fail\$4 or subsequent) adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L186	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same ("same" adj(frequency or socket or link \$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L187	0	@ad<"20020416" and ((fail\$4 and subsequent) adj3 request\$4)same ("same" adj(frequency or socket or link \$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L188	0	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same ("same" adj (frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L189	33	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L190	0	@ad<"20020416" and (fail\$4 adj request\$4) same (subsequent adj3 request\$4)and ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L191	30	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L192	10	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L193	10	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L194	6	@ad<"20020416" and (subsequent adj3 request\$4)near3("same" adj (socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L195	7	@ad<"20020416" and (subsequent adj3 request\$4)near3("same" adj (socket or port or channel\$2 or path \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L196	33	@ad<"20020416" and (subsequent adj3 request\$4)same("same" adj (socket or port or channel\$2 or path \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L197	16	@ad< "20020416" and fail\$4 and (subsequent adj3 request\$4)same ("same" adj(socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L198	0	@ad< "20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same("same" adj(socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L199	40	@ad< "20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L200	4	@ad< "20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L201	40	@ad< "20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L202	49	@ad< "20020416" and (fail\$4 adj (request\$4 or transaction)) and (subsequent adj3 (request\$4 or transaction))same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L203	187	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near3 (socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L204	82	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near (socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L205	1	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near ("same" adj (socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L206	1	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near ("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L207	13	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near3 ("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L208	40	@ad<"20020416" and (subsequent adj3 (request\$4 or transaction))same ("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L209	81	@ad<"20020416" and (request\$4 or transaction adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L210	13	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L211	13	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L212	38	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L213	0	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same ((subsequent or new)adj3 (request\$4 or transaction))same(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L214	39	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same(available adj3 (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L215	329	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))and(available adj3 (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L216	3	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same ((subsequent or new)adj3 (request\$4 or transaction))and(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L217	3	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same ((subsequent or new or nexy)adj3 (request\$4 or transaction))and (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L218	14	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same ((subsequent or new or next) adj3 (request\$4 or transaction))and (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L219	238	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new or next) adj3 (request\$4 or transaction))and (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L220	42	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new or next) adj3 (request\$4 or transaction))same (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L221	46	@ad<"20020416" and fail\$4 and ((subsequent or new or next) adj3 (request\$4 or transaction))same (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L222	2	@ad<"20020416" and fail\$4 and ((subsequent or new or next) adj3 (request\$4 or transaction))near3 (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L223	74	@ad<"20020416" and ((subsequent or new or next) adj3 (request\$4 or transaction))same (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L224	3	@ad<"20020416" and ((subsequent or new or next) adj3 (request\$4 or transaction))near3 (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L225	4	@ad<"20020416" and ((subsequent or new or next) adj3 (request\$4 or transaction))near3 (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L226	1	@ad<"20020416" and ((subsequent or next) adj3 (request\$4 or transaction)) near3 (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L227	11	@ad<"20020416" and ((subsequent or next) adj3 (request\$4 or transaction)) near3 ("SAME" adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19

L228	8	@ad<"20020416" and ((subsequent or next)adj3 request\$4)near3 ("SAME" adj (port or socket or port or channel \$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L229	16	@ad<"20020416" and ((subsequent or next)adj3 request\$4)near5 ("SAME" adj (port or socket or port or channel \$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:19
L230	1	("5732216").PN.	USPAT	OR	OFF	2008/09/08 21:19
L231	0	THOMSON-LICENSING.as. and diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and server and network and id	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L232	0	BROERMAN-KEITH ROBERT.in. and diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and server and network and id	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L233	0	SHU-LINMEI.in. and diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and server and network and id	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
L234	0	WANG-LIANGZHONG.in. and diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and server and network and id	US-PGPUB; USPAT	OR	ON	2008/09/08 21:19
S1	1	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7) and session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 18:19
S2	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7) and session and (generat\$3 or initial\$4 establish\$5) and (socket adj port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:34
S3	1	("7181017").PN.	USPAT	OR	OFF	2007/07/27 17:35
S4	0	("20050192099").PN.	USPAT	OR	OFF	2007/07/27 17:35
S5	1	("20050192099").PN.	US-PGPUB; USPAT	OR	OFF	2007/07/27 17:43
S6	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7)and session same password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:10
S7	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7)and session and password and (shocket or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:39

S8	85	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:39
S9	0	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)near5 (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:40
S10	17	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:48
S11	2	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7) and session and password and (shocket or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:40
S12	1	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7) and session and password and (shocket or port)and channel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:40
S13	0	("20050192099and(diagnos\$4)same (pluralityordifferentormultit\$3) samerequest\$4same(verif\$4orvalidat\$3orauthenticat\$3)same(idoridentif\$7)").PN.	US-PGPUB; USPAT	OR	OFF	2007/07/27 17:43
S14	0	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7) and "20050192099"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:43
S15	0	@ad< "20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)and (id or identif\$7) and "20050192099"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:43
S16	0	"20050192099" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)and (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:44
S17	0	("dignostic\$4samesessionsamehelp"). PN.	USPAT	OR	OFF	2007/07/30 15:38
S18	0	("dignostic\$4samesessionsamehelp"). PN.	USPAT	OR	OFF	2007/07/30 15:39
S19	0	("dignostic\$4samesessionsamehelp"). PN.	USPAT	OR	OFF	2007/07/30 15:39
S20	0	dignostic\$4 same session same help	USPAT	OR	OFF	2007/07/30 15:39
S21	82	diagnostic\$4 same session same help	US-PGPUB; USPAT	OR	ON	2007/08/01 10:11

S22	59	diagnostic\$4 same session same help and remot\$4	US-PGPUB; USPAT	OR	ON	2007/07/30 15:40
S23	9	diagnostic\$4 same session same help and remot\$4 and 709/2\$4.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/30 15:40
S24	9	diagnostic\$4 same session same help and remot\$4 and 709/2\$\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/30 15:43
S25	43	diagnostic\$4 same session same help and remot\$4 and @ad<"20030404"	US-PGPUB; USPAT	OR	ON	2007/07/30 15:43
S26	22	diagnostic\$4 same session same help and remot\$4 and @ad<"20030404" and server and network	US-PGPUB; USPAT	OR	ON	2007/07/30 15:45
S27	4	diagnostic\$4 same session same help and remot\$4 and @ad<"20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2007/07/31 13:55
S28	0	diagnostic\$4 same collaborat\$4 same session same help and remot\$4 and @ad<"20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2007/07/30 15:51
S29	9	diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and @ad<"20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2007/08/24 18:03
S30	1	("6901437").PN.	USPAT	OR	OFF	2007/07/31 13:56
S31	0	@ad<"20020416" and ((plurality or different or mulit\$3) near3 request\$4) same ((diagnos\$4) near3 session) same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:49
S32	0	@ad<"20020416" and ((plurality or different or mulit\$3) near3 request\$4) same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3) same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:50
S33	0	@ad<"20020416" and ((plurality or different or mulit\$3) same request\$4) same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3) same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:51
S34	2	@ad<"20020416" and ((plurality or different or mulit\$3) same request\$4) same (diagnos\$4) same session and (verif\$4 or validat\$3 or authenticat\$3) same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:53
S35	11	@ad<"20020416" and request\$4 same (diagnos\$4) near3 session and (verif\$4 or validat\$3 or authenticat\$3)same (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:54
S36	11	@ad<"20020416" and request\$4 same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3)same (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:55

S37	136645	@ad< "20020416" and request\$4 same ((diagnos\$4) near3 session) and (technical adj support) (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:56
S38	0	@ad< "20020416" and request\$4 same ((diagnos\$4) near3 session) and (technical adj support) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:56
S39	8	@ad< "20020416" and request\$4 and ((diagnos\$4) near3 session) and (technical adj support) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:00
S40	0	@ad< "20020416" and request\$4 same (technical adj support)same ((diagnos\$4) near3 session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:01
S41	0	@ad< "20020416" and request\$4 and (technical adj support)same ((diagnos\$4) near3 session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:01
S42	1	@ad< "20020416" and request\$4 same (technical adj support)same ((diagnos\$4) same session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:01
S43	10	@ad< "20020416" and request\$4 same (technical adj support)same (diagnos\$4) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:07
S44	0	@ad< "20020416" and ((multi\$4 or plurality) adj3 request\$4) same (technical adj support)same diagnos\$4 and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:08
S45	1	("7181017").PN.	USPAT	OR	OFF	2007/08/01 10:12
S46	0	request\$4 same (diagnos\$4 near3 collaborat\$4) same (technical adj support)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:15
S47	0	request\$4 same (diagnos\$4 near3 collaborat\$4) and (technical adj support)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:15
S48	440219	request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) adn (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:15
S49	2	request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:16

S50	0	@ad< "20020416" and request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:16
S51	1	@ad< "20020416" and request\$4 same (diagnos\$4 near3 collaborat\$4) and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:17
S52	1	@ad< "20020416" and request\$4 same (diagnos\$4 near5 collaborat\$4) and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:17
S53	2	@ad< "20020416" and request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:08
S54	28	"BROERMAN-KEITH-ROBERT.in.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:27
S55	28	"SHU-LI NMEI.in.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:09
S56	28	"WANG-LIANGZHONG.and" request\$4 same diagnos\$4 same collaborat\$4 and (id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:18
S57	28	"THOMSON-LI CENSING-S.A.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:09
S58	1	("6229894").PN.	USPAT	OR	OFF	2007/08/03 18:20
S59	1	("6529740").PN.	USPAT	OR	OFF	2007/08/03 18:21
S60	1	("6442433").PN.	USPAT	OR	OFF	2007/08/03 18:21
S61	1	("6181716").PN.	USPAT	OR	OFF	2007/08/03 18:22
S62	1	("6233236").PN.	USPAT	OR	OFF	2007/08/05 14:28
S63	46	request\$4 same diagnostic\$4 same fail same id or identif\$4 same password same socket same port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:35
S64	30	request\$4 same diagnostic\$4 same fail same id or identif\$4 same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:36
S65	0	request\$4 same diagnostic\$4 same fail same (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:36
S66	0	(subsequent near request\$4) same fail same (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:36

S67	1	(subsequent near request\$4) same fail and (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:37
S68	1	(subsequent near request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:37
S69	0	@ad< "20020416" and (subsequent near request\$4) same fail and (id or identif\$4) and password and (assigne \$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:37
S70	0	@ad< "20020416" and (subsequent near2 request\$4) same fail and (id or identif\$4) and password and (assigne \$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:37
S71	0	@ad< "20020416" and (subsequent near3 request\$4) same fail and (id or identif\$4) and password and (assigne \$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:38
S72	1	@ad< "20020416" and (subsequent near3 request\$4) same fail and (id or identif\$4) and password and assigne \$4 same socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S73	1	@ad< "20020416" and (subsequent near3 request\$4) same fail and assigne \$4 same socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S74	1	@ad< "20020416" and (subsequent near request\$4) same fail and assigne \$4 same socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S75	1	@ad< "20020416" and (subsequent near request\$4) same fail and assign \$4 same socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S76	71	@ad< "20020416" and (subsequent near request\$4) same fail	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S77	0	@ad< "20020416" and (subsequent near request\$4) same fail and assign \$4 same sockt	US-PGPUB; USPAT	OR	ON	2007/08/05 14:40
S78	1	@ad< "20020416" and (subsequent near request\$4) same fail and assign \$4 same socket	US-PGPUB; USPAT	OR	ON	2007/08/05 14:40
S79	5	@ad< "20020416" and (subsequent near request\$4) same fail and socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:42
S80	183	@ad< "20020416" and request\$4 same fail and (subsequent near request\$4) and socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:43
S81	1	@ad< "20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:47
S82	0	@ad< "20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port and id and password	US-PGPUB; USPAT	OR	ON	2007/08/05 14:44
S83	0	@ad< "20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port and id	US-PGPUB; USPAT	OR	ON	2007/08/05 14:44

S84	0	@ad< "20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port and identify	US-PGPUB; USPAT	OR	ON	2007/08/05 14:44
S85	0	@ad< "20020416" and request\$4 same fail\$4 and (subsequent near request \$4) and (assign\$4 near3 socket) and port and pass	US-PGPUB; USPAT	OR	ON	2007/08/05 14:44
S86	0	@ad< "20020416" and reject\$4 same (subsequent near request\$4) and (assign\$4 near3 socket)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:48
S87	107	@ad< "20020416" and reject\$4 same (subsequent near request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:48
S88	39	@ad< "20020416" and reject\$4 near3 (subsequent near request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:19
S89	0	@ad< "20020416" and reject\$4 near3 (subsequent near request\$4) same socket same unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:54
S90	39	@ad< "20020416" and reject\$4 near3 (subsequent near request\$4) and socket same unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:54
S91	0	@ad< "20020416" and reject\$4 near3 (subsequent near request\$4) and socket same unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:55
S92	153	@ad< "20020416" and socket same unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:55
S93	13	@ad< "20020416" and socket near unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:55
S94	22	@ad< "20020416" and socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:55
S95	0	@ad< "20020416" and request\$4 near3 reject\$4 same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:56
S96	0	@ad< "20020416" and request\$4 near3 (reject\$4 or den\$4 or stop\$4) same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:57
S97	0	@ad< "20020416" and request\$4 same (reject\$4 or den\$4 or stop\$4) same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:57
S98	0	@ad< "20020416" and request\$4 same (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:57
S99	0	@ad< "20020416" and (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:59
S100	0	@ad< "20020416" and (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:59
S101	9	@ad< "20020416" and (reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:59
S102	1	@ad< "20020416" and request\$4 near4 (reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 15:00

S103	0	@ad< "20020416" and request\$4 near4 (reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable) and password	US-PGPUB; USPAT	OR	ON	2007/08/05 15:00
S104	0	@ad< "20020416" and reject\$4 near3 (subsequent near request\$4) and socket same assign\$4 same tcp/ip same port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:20
S105	0	@ad< "20020416" and reject\$4 same (subsequent near request\$4) and assign\$4 near3 socket same tcp/ip same port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:21
S106	0	@ad< "20020416" and reject\$4 same (subsequent near request\$4) and assign\$4 near3 socket same tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:21
S107	0	@ad< "20020416" and reject\$4 same (subsequent near request\$4) and assign\$4 near3 socket and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:21
S108	139	@ad< "20020416" and assign\$4 near3 socket and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:21
S109	0	@ad< "20020416" and (assign\$4 near socket) same connect\$4 near communication and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:22
S110	7	@ad< "20020416" and (assign\$4 near socket) same tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:23
S111	93	@ad< "20020416" and (socket near3 includ\$4 or compris\$4 or contain\$4) near3 tcp/ip same port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:24
S112	8	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:25
S113	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port and telnet near request\$4	US-PGPUB; USPAT	OR	ON	2007/08/06 14:25
S114	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port and (telnet near request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:25
S115	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and (telnet near request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:25
S116	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and (telnet near3 request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:26
S117	0	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and (telnet near5 request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:26
S118	16	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:26
S119	34408	@ad< "20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:26

S120	1	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:27
S121	16	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:32
S122	8	@ad<"20020416" and (socket near (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:32
S123	41	@ad<"20020416" and (socket with (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:33
S124	19	@ad<"20020416" and (socket near5 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:34
S125	61	@ad<"20020416" and socket same tcp/ip same port and modem and telnet	US-PGPUB; USPAT	OR	ON	2007/08/06 14:34
S126	0	@ad<"20020416" and socket same tcp/ip same port and modem and (telnet adj request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:35
S127	61	@ad<"20020416" and socket same tcp/ip same port and modem and telnet	US-PGPUB; USPAT	OR	ON	2007/08/06 14:35
S128	9	@ad<"20020416" and socket same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:39
S129	8	@ad<"20020416" and socket same (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:40
S130	0	@ad<"20020416" and socket near3 (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:40
S131	0	@ad<"20020416" and socket near5 (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:40
S132	27	@ad<"20020416" and socket same (internet protocol or ip) same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:53
S133	0	@ad<"20020416" and save\$4 same socket same (internet protocol or ip) same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:52
S134	15	@ad<"20020416" and socket same (internet protocol or ip) same port and modem and telnet same session and save	US-PGPUB; USPAT	OR	ON	2007/08/06 14:53
S135	27	@ad<"20020416" and socket same (internet protocol or ip) same port and modem and telnet same session and (sav\$4 or stor\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 17:05

S136	8	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094").PN.	US-PGPUB; USPAT	OR	ON	2007/08/06 17:05
S137	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094").PN. and message	US-PGPUB; USPAT	OR	ON	2007/08/06 17:07
S138	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094").PN. and message\$1	US-PGPUB; USPAT	OR	ON	2007/08/06 17:07
S139	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094").PN. and message\$1	US-PGPUB; USPAT	OR	ON	2007/08/06 17:07
S140	25	@ad<"20020416" and (maximum or limit\$) same connection same server and (link\$2 or channel\$2 or path\$2) same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:13
S141	3564984	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2) same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:13
S142	4	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2) same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:15
S143	57	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2) same (fail\$4 or recover\$4) same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:16
S144	29	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2) same (fail\$4 or recover\$4) same request\$4 and 709/2\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:17
S145	12	@ad<"20020416" and maximum near3 connection same server and (link\$2 or channel\$2 or path\$2) same (fail\$4 or recover\$4) same request\$4 and 709/2\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 10:58
S146	1256	@ad<"20020416" and (link\$2 or channel\$2 or path\$2) same (fail\$4 or recover\$4) same request\$4 and 709/2\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 10:58
S147	329	@ad<"20020416" and (link\$2 or channel\$2 or path\$2) near3 (fail\$4 or recover\$4) same request\$4 and 709/2\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 10:58

S148	22	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near3 (fail\$4 or recover\$4) same subsequent same (action or request\$4) and 709/2\$\$ ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 10:59
S149	5	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near3 (fail\$4 or recover\$4) same subsequent near3 (action or request\$4) and 709/2\$\$ ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:01
S150	6	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near4 (fail\$4 or recover\$4) same subsequent near3 (action or request\$4) and 709/2\$\$ ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:02
S151	169	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near4 (fail\$4 or recover\$4) and subsequent near3 (action or request\$4) and 709/2\$\$ ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:02
S152	108	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near4 (fail\$4 or recover\$4) and subsequent near (action or request\$4) and 709/2\$\$ ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:02
S153	64	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near (fail\$4 or recover\$4) and subsequent near (action or request\$4) and 709/2\$\$ ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:04
S154	13	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near recover\$4 and subsequent near (action or request\$4) and 709/2\$\$ ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:49
S155	1	("20030074403").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/21 14:53
S156	440	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:20
S157	170	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:20
S158	58	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:20
S159	3	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 same (subsequent near3 (action or request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:24

S160	37	@ad< "20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 and (subsequent near3 (action or request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:56
S161	1	@ad< "20020416" and redirect same request same (available adj (socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:58
S162	188	@ad< "20020416" and redirect near3 request same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:58
S163	29	@ad< "20020416" and redirect near3 request near4 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:01
S164	1151	@ad< "20020416" and subsequent near3 request same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:02
S165	228	@ad< "20020416" and (subsequent near3 request) near4 (socket or link \$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:02
S166	90	@ad< "20020416" and (subsequent near request) near4 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:02
S167	9	@ad< "20020416" and (subsequent near request) near (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:03
S168	10	@ad< "20020416" and (subsequent near request\$4) near (socket or link \$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:04
S169	581	@ad< "20020416" and (subsequent near request\$4) same (socket or link \$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:04
S170	70	@ad< "20020416" and (subsequent near request\$4) near3 (socket or link \$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:04

S171	0	@ad<"20020416" and redirect same (subsequent near request\$4) near3 (socket or link\$2 or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:04
S172	5	@ad<"20020416" and redirect same (subsequent near request\$4) same (socket or link\$2 or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:21
S173	1	@ad<"20020416" and (fail\$4 adj request\$4) same (subsequent near request\$4) same(socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:23
S174	7	@ad<"20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same(socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:23
S175	7	@ad<"20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:23
S176	7	@ad<"20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:25
S177	1070	@ad<"20020416" and (subsequent adj3 request\$4) same (frequency or socket or link\$2 or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:25
S178	55	@ad<"20020416" and (subsequent adj3 request\$4)near (frequency or socket or link\$2 or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:25
S179	6	@ad<"20020416" and (subsequent adj request\$4)near (frequency or socket or link\$2 or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:27
S180	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)near (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:28
S181	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)near5 (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:28

S182	7	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same (frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:31
S183	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:33
S184	23	@ad<"20020416" and (subsequent adj request\$4)same ("same" adj (frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:33
S185	23	@ad<"20020416" and ((fail\$4 or subsequent) adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:34
S186	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:34
S187	0	@ad<"20020416" and ((fail\$4 and subsequent) adj3 request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:34
S188	0	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same ("same" adj (frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:35
S189	33	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:36
S190	0	@ad<"20020416" and (fail\$4 adj request\$4) same (subsequent adj3 request\$4)and ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:35
S191	30	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:36
S192	10	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:36

S193	10	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:36
S194	6	@ad<"20020416" and (subsequent adj3 request\$4)near3("same" adj (socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:39
S195	7	@ad<"20020416" and (subsequent adj3 request\$4)near3("same" adj (socket or port or channel\$2 or path \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:41
S196	30	@ad<"20020416" and (subsequent adj3 request\$4)same("same" adj (socket or port or channel\$2 or path \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:41
S197	15	@ad<"20020416" and fail\$4 and (subsequent adj3 request\$4)same ("same" adj(socket or port or channel \$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:44
S198	0	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same("same" adj(socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:44
S199	40	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:44
S200	4	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:45
S201	40	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:50
S202	48	@ad<"20020416" and (fail\$4 adj (request\$4 or transaction)) and (subsequent adj3 (request\$4 or transaction))same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:52
S203	183	@ad<"20020416" and (subsequent adj3 (request\$4 or transaction))near3 (socket or port or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:53

S204	82	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near (socket or port or channel\$2 or path \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:53
S205	1	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near ("same" adj (socket or port or channel \$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:54
S206	1	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near ("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:54
S207	13	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))near3 ("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:55
S208	37	@ad< "20020416" and (subsequent adj3 (request\$4 or transaction))same ("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:07
S209	78	@ad< "20020416" and (request\$4 or transaction adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:08
S210	12	@ad< "20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:12
S211	12	@ad< "20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:58
S212	37	@ad< "20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:01
S213	0	@ad< "20020416" and ((request\$4 or transaction) adj3 fail\$4) same ((subsequent or new)adj3 (request\$4 or transaction))same(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:59

S214	38	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))same(available adj3 (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:02
S215	322	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new)adj3 (request\$4 or transaction))and(available adj3 (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:02
S216	3	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same ((subsequent or new)adj3 (request\$4 or transaction))and(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:05
S217	3	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same ((subsequent or new or nexy)adj3 (request\$4 or transaction))and (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:05
S218	14	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same ((subsequent or new or next)adj3 (request\$4 or transaction))and (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:05
S219	235	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new or next)adj3 (request\$4 or transaction))and (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:05
S220	41	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and ((subsequent or new or next)adj3 (request\$4 or transaction))same (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:07
S221	45	@ad<"20020416" and fail\$4 and ((subsequent or new or next)adj3 (request\$4 or transaction))same (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:15
S222	2	@ad<"20020416" and fail\$4 and ((subsequent or new or next)adj3 (request\$4 or transaction))near3 (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:08

S223	72	@ad<"20020416" and ((subsequent or new or next)adj3 (request\$4 or transaction))same (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:15
S224	3	@ad<"20020416" and ((subsequent or new or next)adj3 (request\$4 or transaction))near3 (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 11:21
S225	4	@ad<"20020416" and ((subsequent or new or next)adj3 (request\$4 or transaction))near3 (available adj (port or socket or port or channel\$2 or path \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 11:23
S226	1	@ad<"20020416" and ((subsequent or next)adj3 (request\$4 or transaction)) near3 (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 11:24
S227	11	@ad<"20020416" and ((subsequent or next)adj3 (request\$4 or transaction)) near3 ("SAME" adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 11:35
S228	8	@ad<"20020416" and ((subsequent or next)adj3 request\$4)near3 ("SAME" adj (port or socket or port or channel \$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 11:36
S229	15	@ad<"20020416" and ((subsequent or next)adj3 request\$4)near5 ("SAME" adj (port or socket or port or channel \$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:18
S230	1	("5732216").PN.	USPAT	OR	OFF	2007/08/22 15:18
S231	0	THOMSON-LICENSING.as. and diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and server and network and id	US-PGPUB; USPAT	OR	ON	2007/08/24 18:03
S232	0	BROERMAN-KEITH ROBERT.in. and diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and server and network and id	US-PGPUB; USPAT	OR	ON	2007/08/24 18:04
S233	0	SHU-LINMEI.in. and diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and server and network and id	US-PGPUB; USPAT	OR	ON	2007/08/24 18:04
S234	0	WANG-LIANGZHONG.in. and diagnostic \$4 and collaborat\$4 same session same help and remot\$4 and server and network and id	US-PGPUB; USPAT	OR	ON	2007/08/24 18:04

9/8/08 9:42:30 PM

C:\Documents and Settings\TNguyen58\My Documents\EAST\Workspaces\10511560.wsp